

FIG. 1a




FIG. 1b





FIG. 2


FIG. 3


FIG. 4


FIG. 5


FIG. 6

FIG. 7

70 OPERATION CODE	71 PAGE CODE	72 SCSI COMMAND NAME	73 KIND
00H		Test Unit Ready	--
01H	--	Rezero Unit	--
03H	--	Request Sense	--
04H	--	Format Unit	--
07H	--	Reassign Blocks	--
08H	--	Read	--
0AH	--	Write	--
0BH	--	Seek	--
12H	--	Inquiry (Standard)	DISK INHERENT
12H	83H	Inquiry (Device Identification)	DISK INHERENT
12H	01H~7FH	Inquiry (ASCII Information)	DISK INHERENT
12H	00H	Inquiry (Supported vital product data pages)	DISK INHERENT
12H	80H	Inquiry (Unit serial number)	DISK INHERENT
12H	EXCEPTING ABOVE CITED	Inquiry (Reserved or Vendor-specific)	DISK INHERENT
:	:	:	:
1AH	00H	Mode Sense (Vendor-specific)	DISK INHERENT
1AH	20H~3EH	Mode Sense (Vendor-specific)	DISK INHERENT
1AH	01H	Mode Sense (Read-write error recovery mode)	--
1AH	02H	Mode Sense (Disconnect-reconnect)	--
1AH	03H	Mode Sense (Format device mode)	--
1AH	04H	Mode Sense (Rigid disk geometry mode)	--
1AH	05H	Mode Sense (Flexible disk mode)	--
1AH	07H	Mode Sense (Verify error recover mode)	--
:	:	:	:
1BH	--	Start/Stop Unit	--
1CH	--	Receive Diagnostic Results	--
1DH	--	Send Diagnostic	--
:	:	:	:
EXCEPTING ABOVE CITED		COMMAND NOT FOUND IN SCSI STANDARD	DISK INHERENT


FIG. 8

FIG. 9

EXAMPLE OF CONFIGURATION OF DISK APPARATUS

